

on human health, pollution and damage to property.

Phase 3: Remediation strategy - details of this, including maintenance and monitoring to protect human health and prevent pollution.

Phase 4: Validation report - summarises the action you have taken during the development and what action you will take in the future, if appropriate.
(C18AA)

Reason:

To make sure that any contamination under the site is identified and treated so that it does not harm anyone who uses the site in the future. This is as set out in Policy 33(E) of the City Plan 2019 - 2040 (April 2021). (R18AB)

- 4
- (1) Where noise emitted from the proposed plant and machinery will not contain tones or will not be intermittent, the 'A' weighted sound pressure level from the plant and machinery (including non-emergency auxiliary plant and generators) hereby permitted, when operating at its noisiest, shall not at any time exceed a value of 10 dB below the minimum external background noise, at a point 1 metre outside any window of any residential and other noise sensitive property, unless and until a fixed maximum noise level is approved in writing by the City Council pursuant to Part (3) below. The background level should be expressed in terms of the lowest LA90, 15 mins during the proposed hours of operation. The plant-specific noise level should be expressed as LAeqTm, and shall be representative of the plant operating at its maximum.
- (2) Where noise emitted from the proposed plant and machinery will contain tones or will be intermittent, the 'A' weighted sound pressure level from the plant and machinery (including non-emergency auxiliary plant and generators) hereby permitted, when operating at its noisiest, shall not at any time exceed a value of 15 dB below the minimum external background noise, at a point 1 metre outside any window of any residential and other noise sensitive property, unless and until a fixed maximum noise level is approved in writing by the City Council. The background level should be expressed in terms of the lowest LA90, 15 mins during the proposed hours of operation. The plant-specific noise level should be expressed as LAeqTm, and shall be representative of the plant operating at its maximum.
- (3) Following installation of the plant and equipment, you may apply in writing to the City Council for a fixed maximum noise level to be approved. This is to be done by submitting a further noise report confirming previous details and subsequent measurement data of the installed plant, including a proposed fixed noise level for written approval by the City Council. Your submission of a noise report must include:
- (a) A schedule of all plant and equipment that formed part of this application;
 - (b) Locations of the plant and machinery and associated: ducting; attenuation and damping equipment;
 - (c) Manufacturer specifications of sound emissions in octave or third octave detail;
 - (d) The location of most affected noise sensitive receptor location and the most affected window of it;
 - (e) Distances between plant & equipment and receptor location/s and any mitigating features that may attenuate the sound level received at the most affected receptor location;

Note:

- The Plain English Crystal Mark applies to those conditions, reasons and informatives in this letter which have an associated reference number with the prefix C, R, X or I.
- The terms 'you' and 'your' include anyone who owns or occupies the land or is involved with the development.
- The terms 'us' and 'we' refer to the Council as local planning authority.



- (f) Measurements of existing LA90, 15 mins levels recorded one metre outside and in front of the window referred to in (d) above (or a suitable representative position), at times when background noise is at its lowest during hours when the plant and equipment will operate. This acoustic survey to be conducted in conformity to BS 7445 in respect of measurement methodology and procedures;
- (g) The lowest existing LA90, 15 mins measurement recorded under (f) above;
- (h) Measurement evidence and any calculations demonstrating that plant and equipment complies with the planning condition;
- (i) The proposed maximum noise level to be emitted by the plant and equipment. (C46AD)

Reason:

Because existing external ambient noise levels exceed WHO Guideline Levels, and as set out in Policies 7 and 33 of the City Plan 2019 - 2040 (April 2021) and the Environmental Supplementary Planning Document (February 2022), so that the noise environment of people in noise sensitive receptors is protected, including the intrusiveness of tonal and impulsive sounds, and by contributing to reducing excessive ambient noise levels. Part (3) is included so that applicants may ask subsequently for a fixed maximum noise level to be approved in case ambient noise levels reduce at any time after implementation of the planning permission. (R46AC)

- 5 No vibration shall be transmitted to adjoining or other premises and structures through the building structure and fabric of this development as to cause a vibration dose value of greater than 0.4m/s (1.75) 16 hour day-time nor 0.2m/s (1.75) 8 hour night-time as defined by BS 6472 (2008) in any part of a residential and other noise sensitive property. (C48AB)

Reason:

To ensure that the development is designed to prevent structural transmission of noise or vibration and to prevent adverse effects as a result of vibration on the noise environment in accordance with Policies 7 and 33 of the City Plan 2019 - 2040 (April 2021) and the Environmental Supplementary Planning Document (February 2022). (R48AB)

- 6 The 2 cycle parking spaces shown on the approved drawing no. 2206/RP / 02 A must be implemented and maintained for the lifetime of the development.

Reason:

To provide cycle parking spaces for people using the development in accordance with Policy 25 of the City Plan 2019 - 2040 (April 2021). (R22FB)

- 7 You must apply to us for approval of details of how waste is to be stored on site and how materials for recycling will be stored separately. You must not start work on the relevant part of the development until we have approved in writing what you have sent us. You must then provide the waste and recycling storage prior to occupation of the development and thereafter permanently retain the stores according to these details. You must clearly mark the stores and make them available at all times to everyone using the residential unit. (C14ED)

Note:

- The Plain English Crystal Mark applies to those conditions, reasons and informatives in this letter which have an associated reference number with the prefix C, R, X or I.
- The terms 'you' and 'your' include anyone who owns or occupies the land or is involved with the development.
- The terms 'us' and 'we' refer to the Council as local planning authority.

